

1 Climate model response from the Geoengineering Model Intercomparison Project (GeoMIP)

2

3 Supplemental Online Material

4

5 Ben Kravitz,<sup>1\*</sup> Ken Caldeira,<sup>2</sup> Olivier Boucher,<sup>3</sup> Alan Robock,<sup>4</sup> Philip J. Rasch<sup>1</sup>

6

7 Kari Alterskjær,<sup>5</sup> Diana Bou Karam,<sup>6</sup> Jason N. S. Cole,<sup>7</sup> Charles L. Curry,<sup>8</sup> James M.

8 Haywood,<sup>9,10</sup> Peter J. Irvine,<sup>11</sup> Duoying Ji,<sup>12</sup> Andy Jones,<sup>9</sup> Jón Egill Kristjánsson,<sup>5</sup> Daniel J.

9 Lunt,<sup>13</sup> John C. Moore,<sup>12</sup> Ulrike Niemeier,<sup>14</sup> Hauke Schmidt,<sup>14</sup> Michael Schulz,<sup>15</sup> Balwinder

10 Singh,<sup>1</sup> Simone Tilmes,<sup>16</sup> Shingo Watanabe,<sup>17</sup> Shuting Yang,<sup>18</sup> Jin-Ho Yoon<sup>1</sup>

11

12 <sup>1</sup>Pacific Northwest National Laboratory, Richland, WA

13 <sup>2</sup>Department of Global Ecology, Carnegie Institution for Science, Stanford, CA

14 <sup>3</sup>Laboratoire de Météorologie Dynamique, IPSL, CNRS/UPMC, Paris, France

15 <sup>4</sup>Department of Environmental Sciences, Rutgers University, New Brunswick, NJ

16 <sup>5</sup>Department of Geosciences, University of Oslo, Oslo, Norway

17 <sup>6</sup>Laboratoire des Sciences du Climat et de l'Environnement (LSCE), CEA/CNRS/UVSQ, Saclay,

18 France

19 <sup>7</sup>Canadian Centre for Climate Modeling and Analysis, Environment Canada, Toronto, ON

20 <sup>8</sup>School of Earth and Ocean Sciences, University of Victoria, Victoria, BC

21 <sup>9</sup>Met Office Hadley Centre, Exeter, UK

22 <sup>10</sup>College of Engineering, Mathematics and Physical Sciences, University of Exeter, Exeter, UK

23 <sup>11</sup>Institute for Advanced Sustainability Studies, Potsdam, Germany

24 <sup>12</sup>State Key Laboratory of Earth Surface Processes and Resource Ecology, College of Global

25 Change and Earth System Science, Beijing Normal University, Beijing, China

26 <sup>13</sup>School of Geographical Sciences, University of Bristol, Bristol, UK

27 <sup>14</sup>Max Planck Institute for Meteorology, Hamburg, Germany

28 <sup>15</sup>Norwegian Meteorological Institute, Oslo, Norway

29 <sup>16</sup>National Center for Atmospheric Research, Boulder, CO

30 <sup>17</sup>Japan Agency for Marine-Earth Science and Technology, Yokohama, Japan

31 <sup>18</sup>Danish Meteorological Institute, Copenhagen, Denmark

32

33 \* to whom correspondence should be addressed: Pacific Northwest National Laboratory,  
34 Atmospheric Sciences and Global Change Division, P.O. Box 999, MSIN K9-24, Richland, WA  
35 99352. (ben.kravitz@pnnl.gov)

**Table S1.** Variables used in the analysis contained in this paper. Not all models have all variables available as output.

Model	TOA Net Radiation	Surface Air Temperature	Precipitation	Evaporation	NPP	Moist Static Stability	Sea Ice Extent
BNU-ESM	X	X	X	X	X	X	X
CanESM2	X	X	X	X	X	X	X
CESM-CAM5.1-FV	X	X	X	X	X	X	X
CCSM4	X	X	X	X	X	X	X
EC-Earth	X	X	X	X	X	X	X
GISS-E2-R	X	X	X	X	X	X	X
HadCM3	X	X	X	X	X	X	X
HadGEM2-ES	X	X	X	X	X	X	X
IPSL-CM5A-LR	X	X	X	X	X	X	X
MIROC-ESM	X	X	X	X	X	X	X
MPI-ESM-LR	X	X	X	X	X	X	X
NorESM1-M	X	X	X	X	X	X	X

**Table S2.** Values for *abrupt4xCO2-piControl* averaged over regions. Ensemble mean is calculated as the mean of all ensemble members, while Minimum and Maximum correspond to single ensemble members featuring extreme values of the indicated variable. All values are averages over years 11-50 of the simulations.

Variable	Region	Ensemble Mean	Minimum	Maximum
Net TOA	Arctic	2.55	-2.48	6.71
Radiation (W m <sup>-2</sup> )	N. Midlatitudes	2.30	0.71	3.73
	Tropics	2.99	-0.25	5.43
	S. Midlatitudes	1.86	0.29	3.99
	Antarctic	2.51	0.73	4.35
	Polar regions	2.53	-0.87	4.97
	Global	2.49	0.84	3.62
Temperature (K)	Arctic	10.54	5.83	13.78
	N. Midlatitudes	5.43	3.43	6.69
	Tropics	3.86	2.62	5.13
	S. Midlatitudes	3.22	1.66	4.58
	Antarctic	4.95	1.76	7.16
	Polar Regions	7.75	3.80	9.96
	Global	4.33	2.79	5.19
Precipitation (mm day <sup>-1</sup> )	Arctic	0.42	0.22	0.62
	N. Midlatitudes	0.14	0.03	0.23
	Tropics	0.19	0.01	0.47
	S. Midlatitudes	0.10	0.01	0.17
	Antarctic	0.26	0.09	0.43
	Polar Regions	0.34	0.16	0.50
Evaporation (mm day <sup>-1</sup> )	Global	0.16	0.05	0.24
	Arctic	0.22	0.14	0.35
	N. Midlatitudes	0.13	0.00	0.26
	Tropics	0.21	0.05	0.42
	S. Midlatitudes	0.15	0.06	0.25
	Antarctic	0.06	0.00	0.12
Precipitation Minus Evaporation (mm day <sup>-1</sup> ) land only	Polar Regions	0.14	0.07	0.24
	Global	0.16	0.05	0.25
	Arctic	0.23	0.00	0.42
	N. Midlatitudes	0.07	-0.09	0.16
	Tropics	0.15	-0.05	0.42
	S. Midlatitudes	-0.03	-0.13	0.08
Net Primary Productivity (kg C m <sup>-2</sup> a <sup>-1</sup> ) land only	Antarctic	0.16	0.00	0.42
	Polar Regions	0.19	0.00	0.38
	Global	0.13	-0.01	0.22
	Arctic	0.13	0.00	0.44
	N. Midlatitudes	0.31	0.04	0.80
Net Primary Productivity (kg C m <sup>-2</sup> a <sup>-1</sup> ) land only	Tropics	0.58	0.07	1.54
	S. Midlatitudes	0.25	0.04	0.60
	Antarctic	0.00	0.00	0.00
	Polar Regions	0.07	0.00	0.22
	Global	0.37	0.05	0.96

**Table S3.** Values for *GI-piControl* averaged over regions. Ensemble mean is calculated as the mean of all ensemble members, while Minimum and Maximum correspond to single ensemble members featuring extreme values of the indicated variable. All values are averages over years 11-50 of the simulations.

Variable	Region	Ensemble Mean	Minimum	Maximum
Net TOA	Arctic	2.87	2.06	4.05
Radiation (W m <sup>-2</sup> )	N. Midlatitudes	1.11	0.16	2.19
	Tropics	-1.53	-2.32	-0.58
	S. Midlatitudes	0.70	0.03	1.25
	Antarctic	1.99	1.28	2.39
	Polar regions	2.43	1.91	3.11
	Global	0.05	-0.22	0.40
Temperature (K)	Arctic	1.01	-0.26	2.91
	N. Midlatitudes	0.22	-0.26	0.94
	Tropics	-0.31	-0.62	0.08
	S. Midlatitudes	-0.02	-0.27	0.70
	Antarctic	0.62	0.13	1.71
	Polar Regions	0.81	-0.03	2.31
	Global	0.00	-0.31	0.64
Precipitation (mm day <sup>-1</sup> )	Arctic	-0.03	-0.06	0.00
	N. Midlatitudes	-0.09	-0.16	-0.04
	Tropics	-0.22	-0.38	-0.08
	S. Midlatitudes	-0.07	-0.09	-0.06
	Antarctic	0.00	-0.03	0.07
	Polar Regions	-0.01	-0.04	0.04
Evaporation (mm day <sup>-1</sup> )	Global	-0.13	-0.21	-0.06
	Arctic	-0.01	-0.03	0.02
	N. Midlatitudes	-0.10	-0.16	-0.02
	Tropics	-0.21	-0.35	-0.08
	S. Midlatitudes	-0.07	-0.10	-0.02
	Antarctic	0.00	-0.01	0.01
Precipitation Minus Evaporation (mm day <sup>-1</sup> ) land only	Polar Regions	0.00	-0.02	0.02
	Global	-0.13	-0.21	-0.04
	Arctic	-0.01	-0.03	0.00
	N. Midlatitudes	0.02	-0.01	0.05
	Tropics	0.07	-0.16	0.32
	S. Midlatitudes	0.05	-0.02	0.11
Net Primary Productivity (kg C m <sup>-2</sup> a <sup>-1</sup> ) land only	Antarctic	0.01	-0.02	0.07
	Polar Regions	0.00	-0.02	0.04
	Global	0.04	-0.06	0.13
	Arctic	0.04	0.00	0.09
	N. Midlatitudes	0.26	0.02	0.66
Net Primary Productivity (kg C m <sup>-2</sup> a <sup>-1</sup> ) land only	Tropics	0.72	0.05	1.70
	S. Midlatitudes	0.25	0.02	0.64
	Antarctic	0.00	0.00	0.00
	Polar Regions	0.02	0.00	0.05
Global	0.38	0.03	0.94	

**Table S4.** Values for *GI-abrupt4xCO2* averaged over regions. Ensemble mean is calculated as the mean of all ensemble members, while Minimum and Maximum correspond to single ensemble members featuring extreme values of the indicated variable. All values are averages over years 11-50 of the simulations.

Variable	Region	Ensemble Mean	Minimum	Maximum
Net TOA	Arctic	0.32	-3.90	5.10
Radiation (W m <sup>-2</sup> )	N. Midlatitudes	-1.19	-3.03	0.29
	Tropics	-4.52	-7.17	-0.33
	S. Midlatitudes	-1.16	-3.20	0.71
	Antarctic	-0.52	-2.13	1.28
	Polar regions	-0.10	-2.76	3.19
	Global	-2.43	-3.39	-0.44
Temperature (K)	Arctic	-9.54	-12.50	-6.09
	N. Midlatitudes	-5.21	-6.87	-3.56
	Tropics	-4.17	-5.24	-3.03
	S. Midlatitudes	-3.23	-3.88	-1.89
	Antarctic	-4.33	-6.03	-1.57
	Polar Regions	-6.93	-8.90	-3.83
	Global	-4.33	-5.43	-3.10
Precipitation (mm day <sup>-1</sup> )	Arctic	-0.44	-0.65	-0.27
	N. Midlatitudes	-0.23	-0.31	-0.14
	Tropics	-0.41	-0.72	-0.25
	S. Midlatitudes	-0.16	-0.25	-0.08
	Antarctic	-0.26	-0.38	-0.12
	Polar Regions	-0.35	-0.51	-0.20
	Global	-0.29	-0.37	-0.23
Evaporation (mm day <sup>-1</sup> )	Arctic	-0.23	-0.37	-0.12
	N. Midlatitudes	-0.23	-0.32	-0.16
	Tropics	-0.42	-0.67	-0.28
	S. Midlatitudes	-0.23	-0.33	-0.15
	Antarctic	-0.06	-0.12	-0.01
	Polar Regions	-0.14	-0.23	-0.08
	Global	-0.29	-0.37	-0.23
Precipitation Minus Evaporation (mm day <sup>-1</sup> ) land only	Arctic	-0.24	-0.46	0.00
	N. Midlatitudes	-0.05	-0.15	0.07
	Tropics	-0.08	-0.36	0.06
	S. Midlatitudes	0.07	-0.01	0.14
	Antarctic	-0.15	-0.34	0.00
	Polar Regions	-0.19	-0.35	0.00
	Global	-0.09	-0.13	-0.05
Net Primary Productivity (kg C m <sup>-2</sup> a <sup>-1</sup> ) land only	Arctic	-0.10	-0.37	0.00
	N. Midlatitudes	-0.05	-0.14	-0.02
	Tropics	0.14	-0.05	0.54
	S. Midlatitudes	0.00	-0.08	0.09
	Antarctic	0.00	0.00	0.00
	Polar Regions	-0.05	-0.18	0.00
Global	0.01	-0.04	0.12	

**Table S5.** Root mean square (RMS) differences of variables for *abrupt4xCO2* relative to *piControl*. Values are calculated by the formula

$$RMS = \sqrt{\frac{\sum \sum (abrupt4xCO2 - piControl)^2 \cdot dA}{\sum \sum dA}}$$

where summation is taken over latitude and longitude, and  $dA$  indicates area weighting of the anomaly in each grid box. *abrupt4xCO2* and *piControl* refer to values of the field for the all-model ensemble mean for that particular experiment.

Variable	Region	Annual Average	DJF Average	JJA Average
TOA Net	Global	3.72	6.10	6.91
Radiation (W m <sup>-2</sup> )	Land	3.42	5.67	6.90
	Ocean	3.84	6.26	6.91
Temperature (K)	Global	4.82	5.45	4.60
	Land	6.18	6.71	6.06
	Ocean	4.13	4.84	3.84
Precipitation (mm day <sup>-1</sup> )	Global	0.51	0.58	0.78
	Land	0.40	0.45	0.53
	Ocean	0.55	0.63	0.87
Evaporation (mm day <sup>-1</sup> )	Global	0.28	0.36	0.35
	Land	0.19	0.19	0.27
	Ocean	0.31	0.41	0.38
P-E (mm day <sup>-1</sup> )	Global	0.53	0.62	0.84
	Land	0.32	0.40	0.47
	Ocean	0.59	0.69	0.96
NPP (kg C m <sup>-2</sup> a <sup>-1</sup> )	Global	0.42	0.39	0.55
	Land	0.42	0.39	0.55
	Ocean	N/A	N/A	N/A

**Table S6.** Root mean square (RMS) differences of variables for *G1* relative to *piControl*. Values are calculated by the formula

$$RMS = \sqrt{\frac{\sum \sum (G1 - piControl)^2 \cdot dA}{\sum \sum dA}}$$

where summation is taken over latitude and longitude, and *dA* indicates area weighting of the anomaly in each grid box. *G1* and *piControl* refer to values of the field for the all-model ensemble mean for that particular experiment.

Variable	Region	Annual Average	DJF Average	JJA Average
TOA Net	Global	1.89	3.18	3.35
Radiation (W m <sup>-2</sup> )	Land	1.97	2.79	2.98
	Ocean	1.85	3.33	3.49
Temperature (K)	Global	0.43	0.51	0.45
	Land	0.51	0.60	0.59
	Ocean	0.39	0.47	0.38
Precipitation (mm day <sup>-1</sup> )	Global	0.23	0.27	0.32
	Land	0.20	0.27	0.27
	Ocean	0.24	0.26	0.33
Evaporation (mm day <sup>-1</sup> )	Global	0.17	0.19	0.20
	Land	0.21	0.22	0.24
	Ocean	0.15	0.17	0.19
P-E (mm day <sup>-1</sup> )	Global	0.18	0.23	0.28
	Land	0.15	0.21	0.24
	Ocean	0.20	0.24	0.30
NPP (kg C m <sup>-2</sup> a <sup>-1</sup> )	Global	0.46	0.46	0.56
	Land	0.46	0.46	0.56
	Ocean	N/A	N/A	N/A


**Table S7.** Root mean square (RMS) differences of variables for *G1* relative to *abrupt4xCO2*. Values are calculated by the formula

$$RMS = \sqrt{\frac{\sum \sum (G1 - abrupt4xCO2)^2 \cdot dA}{\sum \sum dA}}$$


where summation is taken over latitude and longitude, and *dA* indicates area weighting of the anomaly in each grid box. *G1* and *abrupt4xCO2* refer to values of the field for the all-model ensemble mean for that particular experiment.

Variable	Region	Annual Average	DJF Average	JJA Average
TOA Net Radiation (W m <sup>-2</sup> )	Global	4.10	7.53	7.08
	Land	3.24	7.10	6.34
	Ocean	4.40	7.71	7.36
Temperature (K)	Global	4.71	5.24	4.53
	Land	5.88	6.29	5.79
	Ocean	4.13	4.74	3.89
Precipitation (mm day <sup>-1</sup> )	Global	0.54	0.65	0.77
	Land	0.42	0.52	0.53
	Ocean	0.58	0.69	0.85
Evaporation (mm day <sup>-1</sup> )	Global	0.38	0.43	0.43
	Land	0.23	0.23	0.31
	Ocean	0.43	0.49	0.47
P-E (mm day <sup>-1</sup> )	Global	0.49	0.62	0.76
	Land	0.27	0.37	0.41
	Ocean	0.57	0.70	0.86
NPP (kg C m <sup>-2</sup> a <sup>-1</sup> )	Global	0.15	0.13	0.21
	Land	0.15	0.13	0.21
	Ocean	N/A	N/A	N/A







**Figure S1.** Global (land + ocean) average time series for surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), precipitation minus evaporation (mm day<sup>-1</sup>; third row), and net primary productivity (kg C m<sup>-2</sup> yr<sup>-1</sup>; bottom row) for all available model output.




**Figure S2.** Land average time series for surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), precipitation minus evaporation (mm day<sup>-1</sup>; third row), and net primary productivity (kg C m<sup>-2</sup> yr<sup>-1</sup>; bottom row) for all available model output.




**Figure S3.** Ocean average time series for surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), and precipitation minus evaporation (mm day<sup>-1</sup>; bottom row) for all available model output.



**Figure S4.** Zonal land + ocean average surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), precipitation minus evaporation (mm day<sup>-1</sup>; third row), and net primary productivity (kg C m<sup>-2</sup> yr<sup>-1</sup>; bottom row) for all available model output. All values shown are averages over years 11-50 of the simulation. The x-axis is weighted by cosine of latitude.



**Figure S5.** Zonal land average surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), precipitation minus evaporation (mm day<sup>-1</sup>; third row), and net primary productivity (kg C m<sup>-2</sup> yr<sup>-1</sup>; bottom row) for all available model output. All values shown are averages over years 11-50 of the simulation. The x-axis is weighted by cosine of latitude.



**Figure S6.** Zonal ocean average surface air temperature (K; first row), precipitation (mm day<sup>-1</sup>; second row), and precipitation minus evaporation (mm day<sup>-1</sup>; bottom row) for all available model output. All values shown are averages over years 11-50 of the simulation. The x-axis is weighted by cosine of latitude.